



ANTI-RIOT ARMS AND AMMUNITIONS



HAND GRENADE SERIES

Anti-riot grenade , after throwing the grenade irritant gas will come out immediately to disperse protesters



CS Smoke Hand Grenade

Model	CSHGP-01
Type	Continuous Discharge CS Smoke Hand Grenade
Discharge	CS Irritant Smoke
Application	Riot control
Cartridge materials	Plastic (PE)
Total length	150 ± 5 mm
Diameter	64 ± 2 mm
Weight	265 ± 5 gm.
Chemical weight	100 ± 5 gm.
Delay action time	1 – 3 sec
Irritant Agent	CS
Discharge Time	25 ± 5 sec
Discharge system	Hand thrown
DG Class	6.1 or 4.1
UN number	UN 1700
HS Code	9306.21.0000

HAND GRENADE SERIES

Anti-riot grenade, after throwing the grenade CS smoke will come out immediately to disperse protesters



CS Smoke Hand Grenade

Model	CSHGM-01
Type	Continuous Discharge CS Smoke Hand Grenade
Discharge	CS Irritant Smoke
Application	Riot control
Cartridge materials	Aluminum
Total length	148 ± 5 mm
Diameter	65 mm
Weight	300 ± 5 gm.
Chemical weight	95 ± 5 gm.
Delay action time	1 – 3 sec
Irritant Agent	CS
Discharge Time	25 ± 5 sec
Discharge system	Hand thrown
DG Class	6.1 or 4.1
UN number	UN 1700
HS Code	9306.21.0000

Arms Matrix

15661 Cumberland ST, Riverview,
MI 48193, USA

Email: info@armsmatrix.com
Website: www.armsmatrix.com
Phone: +1 734 5562 447

HAND GRENADE SERIES

Anti-riot grenade / Signal flare , after throwing the grenade smoke will come out out immediately



Color Smoke Hand Grenade

Model	CHGP/W-01, CHGP/G-01, CHGP/B-01, CHGP/R-01, CHGP/Y-01
Type	Continuous Discharge Smoke Hand Grenade
Discharge	Color Smoke (White, Green, Blue, Red and Yellow)
Application	Riot control and Signal
Cartridge materials	Plastic
Total length	150 ± 5 mm
Diameter	64 mm
Weight	255 ± 10 gm.
Chemical weight	85 ± 10 gm.
Delay action time	1 – 3 sec
Irritant Agent	No
Discharge Time	45 ± 5 sec
Discharge system	Hand thrown
DG Class	6.1 or 4.1
UN number	UN 1700
HS Code	9304.90.0000

HAND GRENADE SERIES

Anti-riot grenade / Signal flare , after throwing the grenade color smoke will come out immediately



Color Smoke Hand Grenade

Model	CHGM/W, CHGP/G, CHGP/B, CHGP/R, CHGP/Y
Type	Continuous Discharge Smoke Hand Grenade
Discharge	Color Smoke (White, Green, Blue, Red and Yellow)
Application	Riot control and Signal
Cartridge materials	Aluminum
Total length	148 ± 2 mm
Diameter	65 mm
Weight	300 – 340 gm.
Chemical weight	90 ± 5 gm.
Delay action time	1 – 3 sec
Irritant Agent	N/A
Discharge Time	45 ± 5 sec (More emission possible)
Discharge system	Hand thrown
DG Class	6.1 or 4.1
UN number	UN 1700
HS Code	9304.90.0000

Arms Matrix

15661 Cumberland ST, Riverview,
MI 48193, USA

Email: info@armsmatrix.com
Website: www.armsmatrix.com
Phone: +1 734 5562 447

HAND GRENADE SERIES

Anti-riot grenade, after throwing the grenade CS powder cloud will be created immediately



CS Blast Hand Grenade- Powder

Model	CSBHGP-01
Type	Hand Grenade Blast Dispersion
Discharge	CS Irritant Micro Pulverize Powder
Application	Riot control
Cartridge materials	Plastic
Total length	145 ± 2 mm
Diameter	54 mm
Weight	187 ± 5 gm.
Chemical weight	80 ± 5 gm.
Delay action time	1 – 3 sec
Irritant Agent	CS Powder
Discharge	Instantaneous
Discharge system	Hand thrown
DG Class	6.1 or 4.1
UN number	UN 1700
HS Code	9306.21.0000

HAND GRENADE SERIES

Anti-riot grenade , after throwing the grenade CS irritant gas will come out immediately from 3 projectiles



Triple Action CS Smoke Hand Grenade

Model	CSHGP-3
Type	Continuous Discharge CS Smoke
Discharge	CS Irritant Smoke
Application	Riot control
Cartridge materials	Plastic (PE)
Total length	145 ± 2 mm
Diameter	55 ± 2 mm
Weight	255 ± 5 gm.
Chemical weight	80 ± 5 gm.
Delay action time	1 – 3 sec
Irritant Agent	CS
Discharge Time	30 ± 5 sec
Projectiles	3 pcs
DG class	6.1 or 4.2
UN number	UN 1700
HS Code	9306.21.0000

SMOKE CAN SERIES

Signaling device, after ignition of the can color smoke will come out immediately



2 Kg Smoke Can

Model	MBM/HC-02
Type	Continues discharge smoke
Discharge	Color Smoke
Application	Signaling
Cartridge materials	Aluminum
Total length	150 ± 2 mm
Diameter	95 mm
Weight	2000 ± 100 gm.
Chemical weight	1750 ± 50 gm.
Delay action time	1 – 3 sec
Irritant Agent	N/A
Discharge	Continues
Discharge system	Hand thrown
DG Class	6.1 or 4.1
UN number	UN 1700
HS Code	9304.90.0000

HAND GRENADE SERIES

Anti-riot grenade, after throwing the grenade strong sound effects with flash
Will be created



Flash Bang Hand Grenade

Model	FBHGM-1
Type	Sound with light flash
Discharge	Stunning effects with thunder light
Application	Riot control
Cartridge materials	Steel
Total length	120 mm
Diameter	43 mm
Weight	250 gm.
Sound	180 dB (Max) @ 1.5 m
Delay action time	1 – 3 sec
Light	6 million candles
Discharge	After discharge case will not be Broken
Discharge system	Hand thrown and outdoor use only
DG class	1.4G
UN number	UN 0432
HS Code	9306.90.0000

HAND GRENADE SERIES

Anti-riot grenade, after throwing the grenade CS smoke will come out moving the grenade randomly



Random Movement CS hand Grenade

Model	RMCSHG-1
Type	Continues discharge CS smoke
Discharge	CS white smoke with random motion
Application	Riot control
Cartridge materials	Plastic
Total length	150 ± 5 mm
Diameter	64 ± 2 mm
Weight	265 ± 5 gm.
Chemical weight	100 ± 5 gm.
Delay action time	1 – 3 sec
Irritant Agent	CS
Discharge	Emitting CS smoke moving here and there
Discharge system	Hand thrown and outdoor use only
DG class	6.1 or 4.1
UN number	UN 1700
HS Code	9306.21.0000

Arms Matrix

15661 Cumberland ST, Riverview,
MI 48193, USA

Email: info@armsmatrix.com
Website: www.armsmatrix.com
Phone: +1 734 5562 447

HAND GRENADE SERIES

Anti-riot grenade, after throwing the grenade CS powder cloud + stunning effects + multiple rubber ball will be spread out



Multi Impact Hand Grenade

Model	MIHG-15, MIHG-100
Type	CS powder cloud + Sound + Multi rubber ball
Discharge	CS Micro Pulverize Powder, Sound and Rubber ball
Application	Riot control
Cartridge materials	Plastic
Total length	111 ± 1 mm
Diameter	75 ± 2 mm
Weight	186 ± 5 gm.
Number of balls	15 rubber balls and 100 rubber balls
Delay action time	1 – 3 sec
Irritant Agent	CS Powder
Sound	180 dB
Discharge system	Hand thrown and outdoor use only
DG class	1.4G
UN number	UN 0432
HS Code	9306.90.0000

HAND GRENADE SERIES

Anti-riot grenade, after throwing the grenade sound and flash will be created



Stun Grenade

Model	STHG-1
Type	Sound destruction device
Discharge	Strong stunning effects
Application	Riot control
Cartridge materials	Steel
Total length	145 ± 2 mm
Diameter	43 ± 1 mm
Weight	250 ± 5 gm.
Sound Intensity	180 dB
Delay action time	1 – 3 sec
Light	6 million candles
Discharge	Sound
Discharge system	Hand thrown and outdoor use only
DG class	1.4G
UN number	UN 0432
HS Code	9306.90.0000

HAND GRENADE SERIES

Anti-riot grenade, after throwing the grenade will create strong sound one after another with blinding light



Multi Bang Hand Grenade

Model	MBHG-1, MBHG-3, MBHG-6
Type	Sound Grenade (1 Bang, 3 Bang and 6 Bang)
Discharge	Strong sound effect with flash
Application	Riot control
Cartridge materials	ABS Plastic
Total length	110, 151 and 151 ± 2 mm
Diameter	54, 54 and 72 mm
Weight	100, 173, 295 ± 5 gm.
Sound Intensity	140 dB (Increasable or decrease able)
Delay action time	1 – 3 sec
Sound Interval	0.80 sec and 0.50 sec
Fuze Type	M 201 A1
Discharge system	Hand thrown and outdoor use only
DG class	1.4G
UN number	UN 0432
HS Code	9306.90.0000

HAND GRENADE SERIES

Anti-riot grenade, after throwing the grenade strong sound with CS powder cloud will be created



Double Effects Grenade

Model	DEHG-1
Type	Stun + CS powder could
Discharge	Sound + CS Irritant micro pulverize powder cloud
Application	Riot control
Cartridge materials	Plastic
Total length	111 ± 1 mm
Diameter	75 ± 1 mm
Weight	147 ± 5 gm.
Action type	Sound and thunder light
Delay action time	1 – 3 sec
Irritant Agent	CS
Active agent mass	20 g
Discharge system	Hand thrown and outdoor use only
DG class	1.4G
UN number	UN 0432
HS Code	9306.90.0000

HAND GRENADE SERIES

Anti-riot hand grenade, after throwing the grenade multiple rubber ball
Will be spread out



Rubber Ball Hand Grenade

Model	RBHG-1
Type	Rubber ball hand grenade
Discharge	15 Rubber ball
Application	Riot control
Cartridge materials	Plastic
Total length	108 ± 2 mm
Diameter	75 ± 2 mm
Weight	130 ± 5 gm.
Sound intensity	140 dB.
Delay action time	1 – 3 sec
Number of Rubber ball	15 pcs
Shell life	5 Years
Discharge system	Hand thrown outdoor use only
Hazard class	1.4G
UN number	UN 0431
HS code	9306.90.0000

HAND GRENADE SERIES

Anti-riot hand grenade, after throwing the grenade will have sound & flash
One after another up to 5.



5 Bang Hand Grenade

Model	5BHG-1
Type	Sound and flash
Discharge	5 times sound one after another
Application	Riot control
Cartridge materials	Aluminum
Total length	115 mm
Diameter	40 mm
Weight	565 ± 5 gm.
Sound intensity	165 ± 5 dB.
Delay action time	1 – 3 sec
Number of Detonation	5
Shell life	5 Years
Discharge system	Hand thrown outdoor use only
Hazard class	1.4G
UN number	UN 0431
HS code	9306.90.0000

HAND GRENADE SERIES

Anti-riot hand grenade, after throwing the grenade irritant CS smoke will come out.



37 mm CS Hand Grenade

Model	CS37HG-1
Type	CS smoke hand grenade
Discharge	CS smoke
Application	Riot control
Cartridge materials	Aluminum
Total length	121 mm
Diameter	37 mm
Weight	205 ± 5 gm.
Emission Time	25 ± 5 sec
Delay action time	1 – 3 sec
Number of Projectile	1
Active Agent	CS (chlorobenzylidene malononitrile)
Discharge system	Hand thrown outdoor use only
Hazard class	6.1 or 4.1
UN number	UN 1700
HS code	9306.21.0000

HAND GRENADE SERIES

Anti-riot hand grenade, after throwing the grenade irritant CS smoke will come out from 3 projectiles.



37 mm CS Hand Grenade

Model	CS38HG-3
Type	CS smoke hand grenade
Discharge	CS smoke through 3 projectiles
Application	Riot control
Cartridge materials	Aluminum
Total length	140 ± 1 mm
Diameter	38 mm
Weight	248 ± 10 gm.
Emission Time	20 ± 5 sec
Delay action time	1 – 3 sec
Number of Projectile	3
Active Agent	CS (chlorobenzylidene malononitrile)
Discharge system	Hand thrown outdoor use only
Hazard class	6.1 or 4.1
UN number	UN 1700
HS code	9306.21.0000

HAND GRENADE SERIES

Anti-riot hand grenade, after throwing the grenade irritant PAVA smoke will come out.



PV Hand Grenade

Model	PVHG-1
Type	PAVA smoke hand grenade
Discharge	PAVA some grenade
Application	Riot control
Cartridge materials	Aluminum
Total length	97 ± 1 mm
Diameter	53 mm
Weight	229 ± 5 gm.
Emission Time	25 ± 5 sec
Delay action time	1 – 3 sec
Chemical Weight	105 gm.
Active Agent	PAVA
Discharge system	Hand thrown outdoor use only
Hazard class	6.1 or 4.1
UN number	UN 1700
HS code	9306.21.0000

HAND GRENADE SERIES

Anti-riot hand grenade, after throwing the grenade irritant OC smoke will come out.



OC Hand Grenade

Model	OCHG-1
Type	OC smoke hand grenade
Discharge	OC some
Application	Riot control
Cartridge materials	Aluminum
Total length	97 ± 1 mm
Diameter	53 mm
Weight	229 ± 5 gm.
Emission Time	25 ± 5 sec
Delay action time	1 – 3 sec
Chemical Weight	105 gm.
Active Agent	OC
Discharge system	Hand thrown outdoor use only
Hazard class	6.1 or 4.1
UN number	UN 1700
HS code	9306.21.0000

TEAR GAS (CS) CARTRIDGE SERIES

Anti-riot CS shell, after throwing the shell irritant CS smoke will come out.



37/38 mm CS Projectile Short Range

Model	CS37SRP-1
Type	CS smoke projectile
Discharge	CS irritant smoke
Application	Riot control
Cartridge materials	Aluminum
Total length	105 mm
Diameter	38 mm
Weight	165 ± 5 gm.
Emission Time	25 ± 5 sec
Delay action time	1 – 3 sec
Chemical Weight	80 ± 5 gm.
Range	75 ± 5 m
Number of Projectile	1
Hazard class	6.1 or 4.1
UN number	UN 1700
HS code	9306.21.0000

TEAR GAS (CS) CARTRIDGE SERIES

Anti-riot CS shell, after throwing the shell irritant CS smoke will come out.



37/38 mm CS Projectile Long Range

Model	CS37SRP-1
Type	CS smoke projectile
Discharge	CS irritant smoke
Application	Riot control
Cartridge materials	Aluminum
Total length	105 mm
Diameter	38 mm
Weight	165 gm.
Emission Time	25 ± 5 sec
Delay action time	1 – 3 sec
Chemical Weight	80 ± 5 gm.
Range	145 ± 5 m
Number of Projectile	1
Hazard class	6.1 or 4.1
UN number	UN 1700
HS code	9306.21.0000

TEAR GAS (CS) CARTRIDGE SERIES

Anti-riot CS shell, after throwing the shell irritant CS smoke will come out.



37/38 mm CS Cartridge - 3 Projectile

Model	CS37SRP-3
Type	CS smoke projectile
Discharge	CS irritant smoke
Application	Riot control
Cartridge materials	Aluminum
Total length	112 mm
Diameter	38 mm
Weight	180 gm.
Emission Time	20 ± 5 sec
Delay action time	1 – 3 sec
Chemical Weight	80 ± 5 gm.
Range	80 ± 5 m
Number of Projectile	3
Hazard class	6.1 or 4.1
UN number	UN 1700
HS code	9306.21.0000

TEAR GAS (CS) CARTRIDGE SERIES

Anti-riot CS shell, after throwing the shell irritant CS smoke will come out.



37/38 mm CS Cartridge - 5 Projectile

Model	CS37SRP-5
Type	CS smoke projectile
Discharge	CS irritant smoke
Application	Riot control
Cartridge materials	Aluminum
Total length	143 mm
Diameter	38 mm
Weight	230 ± 5 gm.
Emission Time	20 ± 5 sec
Delay action time	1 – 3 sec
Chemical Weight	90 ± 5 gm.
Range	80 ± 5 m
Number of Projectile	5
Hazard class	6.1 or 4.1
UN number	UN 1700
HS code	9306.21.0000

TEAR GAS (CS) CARTRIDGE SERIES

Anti-riot CS shell, after throwing the shell irritant CS smoke will come out.



37/38 mm CS Cartridge With 1 Bang

Model	CS37LRB
Type	CS smoke projectile with sound
Discharge	CS irritant smoke + 1 Bang
Application	Riot control
Cartridge materials	Aluminum
Total length	123 mm
Diameter	38 mm
Weight	167 ± 5 gm.
Emission Time	25 ± 5 sec
Delay action time	1 – 3 sec
Chemical Weight	50 ± 5 gm.
Range	95 ± 5 m
Sound Intensity	Thunder and blinding light
Hazard class	6.1 or 4.1
UN number	UN 1700
HS code	9306.21.0000

TEAR GAS (CS) CARTRIDGE SERIES

Anti-riot CS shell, after throwing the shell irritant CS smoke will come out.



40 mm CS Cartridge Short Range

Model	CS40SRP-01
Type	CS smoke projectile
Discharge	CS irritant smoke
Application	Riot control
Cartridge materials	Aluminum
Total length	105 mm
Diameter	40 mm
Weight	185 ± 5 gm.
Emission Time	25 ± 5 sec
Delay action time	1 – 3 sec
Chemical Weight	50 ± 5 gm.
Range	75 ± 5 m
Projectile	1
Hazard class	6.1 or 4.1
UN number	UN 1700
HS code	9306.21.0000

TEAR GAS (CS) CARTRIDGE SERIES

Anti-riot CS shell, after throwing the shell irritant CS smoke will come out.



40 mm CS Cartridge Long Range

Model	CS40LRP-01
Type	CS smoke projectile
Discharge	CS irritant smoke
Application	Riot control
Cartridge materials	Aluminum
Total length	105 mm
Diameter	40 mm
Weight	185 ± 5 gm.
Emission Time	25 ± 5 sec
Delay action time	1 – 3 sec
Chemical Weight	85 ± 5 gm.
Range	135 ± 5 m
Projectile	1
Hazard class	6.1 or 4.1
UN number	UN 1700
HS code	9306.21.0000

TEAR GAS (CS) CARTRIDGE SERIES

Anti-riot CS shell, after throwing the shell irritant CS smoke will come out.



40 mm CS Cartridge – 3 Projectiles

Model	CS40SRP-03
Type	CS smoke projectile
Discharge	CS irritant smoke
Application	Riot control
Cartridge materials	Aluminum
Total length	110 mm
Diameter	40 mm
Weight	185 ± 5 gm.
Emission Time	25 ± 5 sec
Delay action time	1 – 3 sec
Chemical Weight	80 ± 5 gm.
Range	75 ± 5 m
Projectile	3
Hazard class	6.1 or 4.1
UN number	UN 1700
HS code	9306.21.0000

TEAR GAS (CS) CARTRIDGE SERIES

Anti-riot CS shell, after throwing the shell irritant CS smoke will come out.



40 mm CS Cartridge – 5 Projectiles

Model	CS40SRP-5
Type	CS smoke projectile
Discharge	CS irritant smoke
Application	Riot control
Cartridge materials	Aluminum
Total length	131 mm
Diameter	40 mm
Weight	230 ± 5 gm.
Emission Time	25 ± 5 sec
Delay action time	1 – 3 sec
Chemical Weight	90 ± 5 gm.
Range	75 ± 5 m
Projectile	5
Hazard class	6.1 or 4.1
UN number	UN 1700
HS code	9306.21.0000

RUBBER PROJECTILE SERIES

Anti-riot & crowd control rubber projectiles



37/38 & 40 mm Rubber Baton- single Projectile

Model	RB38SP-1, RB40SP-1
Compatibility	37/38 mm and 40 Launcher
Discharge	Single Rubber projectile
Application	Riot control
Cartridge materials	Aluminum
Total length	125 ± 1 mm
Diameter	38 mm and 40 mm
Weight	127 ± 5 gm.
Effective Range	50 – 70 m
Ignition time	1 – 3 sec
Number of Projectile	1 Rubber Baton
Range	130 ± 10 m
Baton Hardness	75 ±5 durometers
Hazard class	6.1 or 4.1
UN number	UN 1700
HS code	9306.21.0000

RUBBER PROJECTILE SERIES

Anti-riot & crowd control rubber projectiles



37/38 & 40 mm Rubber Baton- 3 Projectile


Model	RB38SP-3B, RB40SP-3B
Compatibility	37/38 mm & 40 mm Launcher
Discharge	3 Rubber projectile
Application	Riot control
Cartridge materials	Aluminum
Total length	125 ± 1 mm
Diameter	38 mm and 40 mm
Weight	127 ± 5 gm.
Effective Range	40 – 50 m
Ignition time	1 – 3 sec
Number of Projectile	3 Rubber Baton
Range	110 ± 10 m
Baton Hardness	75 ±5 durometers
Hazard class	6.1 or 4.1
UN number	UN 1700
HS code	9306.21.0000

Arms Matrix
15661 Cumberland ST, Riverview,
MI 48193, USA

Email: info@armsmatrix.com
Website: www.armsmatrix.com
Phone: +1 734 5562 447

RUBBER PROJECTILE SERIES

Anti-riot & crowd control rubber projectiles



40 mm Rubber Ball- 3 Projectile

Model	RB40SP-3B
Compatibility	40 mm Launcher
Discharge	3 Rubber ball projectiles
Application	Riot control
Cartridge materials	Aluminum
Total length	123 ± 1 mm
Diameter	40 mm
Weight	230 ± 5 gm.
Effective Range	40 – 60 m
Ignition time	1 – 3 sec
Number of Projectile	3 Rubber Ball
Range	110 ± 10 m
Baton Hardness	54 durometers shore A
Hazard class	6.1 or 4.1
UN number	UN 1700
HS code	9306.21.0000

RUBBER PROJECTILE SERIES

Anti-riot & crowd control rubber projectiles



37/38 mm Rubber Ball- 3 Projectile

Model	RB38MP-3B
Compatibility	37/38 mm Launcher
Discharge	3 Rubber ball projectiles
Application	Riot control
Cartridge materials	Aluminum
Total length	127 ± 1 mm
Diameter	38 mm
Weight	170 ± 5 gm.
Effective Range	40 – 50 m
Ignition time	1 – 3 sec
Number of Projectile	3 Rubber Ball
Range	100 ± 10 m
Baton Hardness	75 durometers
Hazard class	6.1 or 4.1
UN number	UN 1700
HS code	9306.21.0000

RUBBER PROJECTILE SERIES

Anti-riot & crowd control rubber ball projectiles



37/38 mm & 40 mm Rubber Ball- 18 Projectile


Model	38RBP-18, 40RBP-18
Compatibility	37/38 & 40 mm Launcher
Discharge	18 Ball Rubber balls Projectile
Application	Riot control
Cartridge materials	Aluminum
Total length	131 mm
Diameter	38 mm & 40 mm
Weight	110 gm. & 125 gm.
Sound Intensity	150 dB
Ignition time	1 – 3 sec
Number of Projectile	18
Range	60 ± 10 m
Hadness	60 Durumeter
Hazard class	4.1 or 6.1
UN number	UN 1700
HS code	9306.21.0000

Arms Matrix
15661 Cumberland ST, Riverview,
MI 48193, USA

Email: info@armsmatrix.com
Website: www.armsmatrix.com
Phone: +1 734 5562 447

FLASH & BANG CARTRIDGES

Anti-riot & crowd control flash bang projectiles



37/38 mm & 40 mm Rubber Ball- 3 Projectile

Model	38FBC, 40FBC
Compatibility	37/38 & 40 mm Launcher
Discharge	Sound and Flash
Application	Riot control
Cartridge materials	Aluminum
Total length	123 mm
Diameter	38 mm & 40 mm
Weight	220 gm. & 230 gm.
Sound Intensity	150 dB
Ignition time	3 – 4 sec
Number of Projectile	1
Range	80 ± 10 m
Flash Intensity	Blinding Light
Hazard class	1.4G
UN number	UN 0431
HS code	9306.90.0000

SIGNAL FLARE CARTRIDGES

26 mm pistol fired Illumination signal flare cartridge



26 mm Signal Flare Cartridge

Model	SFC26W, SFC26R, SFC26Y, SFC26G
Compatibility	26 mm Pistol / Launcher
Discharge	Illumination Light
Application	Signaling
Cartridge materials	Aluminum
Total length	80 mm
Diameter	26 mm
Weight	55 gm.
Signaling time	Min 5 sec
Radiance	Approx. 35000 candles
Number of Projectile	1
Deployment height	80 ± 10 m
Visibility	5 km Approx.
Illumination color	White, Red, Yellow and Green
UN number	UN 1700
HS code	9306.21.0000

ANTI RIOT LAUNCHER SERIES

38 mm pistol type gun / launcher



38 mm Pistol Type Launcher

Model	PTL-100
Compatibility	37/38 mm Cartridge
Magazine Capacity	1
Application	Riot and Crowd Control
Body Materials	Aluminum Alloy
Total length	290 mm
Caliber	38 mm
Weight	660 gm.
Safety	Trigger Lock
Open System	Top Break
Barrel Length	150 mm
Firing System	Hammer
Firing Type	Double
Trigger Pull	1 - 2 Kg
Color	Black & Anodized
HS code	9304.00.9000

Arms Matrix
15661 Cumberland ST, Riverview,
MI 48193, USA

Email: info@armsmatrix.com
Website: www.armsmatrix.com
Phone: +1 734 5562 447

ANTI RIOT LAUNCHER SERIES

38 & 40 mm anti riot gun / launcher



38 mm & 40 mm Tear gas Shell Launcher

Model	GL-101, GL-103
Compatibility	37/38 mm & 40 mm Cartridge
Magazine Capacity	1
Application	Riot and Crowd Control
Body Materials	Aluminum Alloy
Total length	705 mm full
Caliber	38 mm & 40 mm
Weight	1.8 kg
Safety	Safety Lock
Open System	Top Break & foldable butt stock
Barrel Length	300 mm
Firing System	Hammer
Rifle	Smooth bore without rifle
Trigger Pull	1.5 - 2 Kg
Color	Black & Anodized
HS code	9304.00.9000

Arms Matrix
15661 Cumberland ST, Riverview,
MI 48193, USA

Email: info@armsmatrix.com
Website: www.armsmatrix.com
Phone: +1 734 5562 447

ANTI RIOT LAUNCHER SERIES

38 & 40 mm anti riot multi launcher



38 mm & 40 mm Tear gas Shell Launcher (6 Shorts)

Model	GL-601, GL-604
Compatibility	38 mm & 40 mm Cartridge
Magazine Capacity	6 Rounds
Application	Riot and Crowd Control
Body Materials	Body Aluminum Alloy with Polymer Handle
Total length	740 ± 5 mm
Caliber	38 mm & 40 mm
Weight	4.1 ± 0.30 kg, 3.8 ± 0.20 kg
Safety	Trigger safety Lock
Open System	Top Break
Barrel Length	245 mm
Firing Type	Double action
Revolving	Pump action
Butt Stock	Folded
Color	Black & Anodized
HS code	9304.00.9000

Arms Matrix
15661 Cumberland ST, Riverview,
MI 48193, USA

Email: info@armsmatrix.com
Website: www.armsmatrix.com
Phone: +1 734 5562 447

ANTI RIOT LAUNCHER SERIES

Anti riot multi launcher / Gas Launcher



38 mm Tear gas Shell Launcher (4 Shorts)

Model	GL-400
Compatibility	38 mm & 40 mm Cartridge
Magazine Capacity	4 Rounds
Application	Riot and Crowd Control
Body Materials	Body Aluminum Alloy with Polymer Handle
Total length	740 ± 5 mm
Caliber	38 mm
Weight	3.3 ± 0.30 kg
Safety	Trigger safety Lock
Open System	Top Break
Barrel Length	245 mm
Firing Type	Double action
Revolving	Pump action
Butt Stock	Folded
Color	Black & Anodized
HS code	9304.00.9000

ANTI RIOT LAUNCHER SERIES

Anti riot multi launcher / Gas Launcher



38 mm Tear gas Shell Launcher (3 Shorts)

Model	GL-300
Compatibility	38 mm cartridge
Magazine Capacity	3 Rounds
Application	Riot and Crowd Control
Body Materials	Body Aluminum Alloy with Polymer Handle
Total length	740 ± 5 mm
Caliber	38 mm
Weight	3.06 ± 0.30 kg
Safety	Trigger safety Lock
Open System	Top Break
Barrel Length	245 mm
Firing Type	Double action
Revolving	Pump action
Butt Stock	Folded
Color	Black & Anodized
HS code	9304.00.9000

ANTI RIOT LAUNCHER SERIES

Anti riot gun / Gas Launcher



38 mm Tear gas Shell Launcher (Dual Shorts)

Model	GL-200
Compatibility	38 mm cartridge
Magazine Capacity	2 Rounds
Application	Riot and Crowd Control
Body Materials	Body Aluminum Alloy with Polymer Handle
Total length	658 ± 5 mm
Caliber	38 mm
Weight	2.77 ± 0.10 kg
Safety	Trigger safety Lock
Open System	Top Break
Barrel Length	280 mm
Firing Type	Single action
Loading	Double barrel with each loding
Butt Stock	Folded / Fixed
Color	Black & Anodized
HS code	9304.00.9000

ANTI RIOT LAUNCHER SERIES

Anti riot gun / Gas Launcher



38/40 mm 15 Rounds gas Launcher

Model	38GL-15, 40GL-15
Compatibility	38 mm & 40 mm cartridge
Magazine Capacity	15 Rounds quick changeable
Application	Riot and Crowd Control
Body Materials	Body Aluminum Alloy and Steel
Total length	387 ± 5 mm
Caliber	37/38 mm and 40 mm
Weight	Firing body: 22.16 kg, Mount: 15.56 kg
Height	370 ± 5 mm
Width	407 ± 5 mm
Barrel Length	198 ± 3 mm
Firing Type	1, 5, 15
Type	Vehicle mounted launcher remote operated
Camera	Day + Night
Operation Agle	Up & Down 45°, Left-Right 120°
HS code	9304.00.9000

ANTI RIOT LAUNCHER SERIES

Anti riot gun / Gas Launcher



38 mm 32 Rounds Gas Launcher

Model	GL-32
Compatibility	37/38 mm cartridge
Magazine Capacity	32 Rounds quick changeable
Application	Riot and Crowd Control
Materials	Body Aluminum Alloy and Steel
Dimension (WxHxL)	Approx. 503 X 320 X 380 (\pm 50.0)mm
Caliber	37/38 mm
Weight	Firing body: 38 kg, Mount: 20 kg
System	Dual movement systems
Loading	Top open reloading system
Barrel Length	198 \pm 3 mm
Firing Type	4, 8, 32 at once
Type	Vehicle mounted launcher remote operated
Camera	Day + Night
Operation Angle	Up & Down 45°, Left-Right 150°
HS code	9304.00.9000

ANESTHETIC LAUNCHER SERIES

Anesthetic gun / Launcher



Anesthetic Gun- Animal Gun

Model	Smart-12, STN-313
Fire Type	CO2 gas and Compressed air pressure
Magazine Capacity	1
Application	Applicable on animal
Materials	Body Aluminum Alloy
Length	617 mm and 960 mm
Caliber	12 mm and 13 mm
Weight	1.25 kg and 2.56 kg
Range	50 meter and 70 meter
Open Sys	Bolt action
Barrel Length	443 ± 3 mm
Color	Black
Design	Agronomic
Picatinny Rail	Optional
Barrel System	Changeable
HS code	9304.00.9000

Arms Matrix
15661 Cumberland ST, Riverview,
MI 48193, USA

Email: info@armsmatrix.com
Website: www.armsmatrix.com
Phone: +1 734 5562 447

FIRE EXTINGUISHER LAUNCHER SERIES

Fire extinguisher gun / Launcher



Fire Extinguisher Launcher

Model	SFE-100, SFE-101
Fire Type	By explosive (12 gauge blank cartridge)
Magazine Capacity	1
Application	Fire control
Materials	Aluminum Alloy
Length	Full: 710 mm, 960 mm with adaptor
Caliber	18 mm
Weight	3.5 kg
Range	20 – 40 m
Open Sys	Top break
Barrel Length	300 mm
Color	Black
Fire System	Manual
Adaptor Size	80 mm
Using System	Hand and Car mountable
HS code	9304.00.9000

SPARY SERIES

CS & Pepper spray



CS & Pepper Spray

Model	CS-Defense, PS-400
Type	Nozzle Spray
Active Agent	CS & Pepper
Application	Riot and crowd control
Body Materials	Aluminum
Height	255 mm & 290 mm
Diameter	59 mm & 57 mm
Weight	295 gm. and
Range	5 – 7 m
Liquid quantities	500 ml & 400 ml
Number of Discharge	8 of each 1 sec
Color	White & Black
Emission Mode	Spray through hand
Sell Life	5 Years
Using System	Indoor & Outdoor
HS code	9306.21.0000

ANTI RIOT LAUNCHER SERIES

CS & Pepper Anti-riot gun / Gas Launcher



40 mm Gas Launcher

Model	ARG-40T, ARG-40F
Type	Single Shot
Butt Stock	Telescopic Stock and Foldable Stock
Application	Riot and crowd control
Body Materials	Main body Aluminum and Polymer
Length	Butt Extended 704 mm & Butt Shortened 644 mm
Barrel Length	307 mm
Weight	Fixed Stock : 2.675 kg, Foldable Stock: 2.40 kg
Caliber	40 mm Smooth bore / 40 mm Rifle Barreled
Picatinny Rail	4 Picatinny Rails on each side of the barrel (Optional)
Compatible Ammunition	40 mm and 37/38 mm Ammo usable
Color	Black
Safety	Trigger Lock and Hammer Lock
Magazine Capacity	1 Shell
Using System	Indoor
HS code	9304.00.9000

ANTI RIOT LAUNCHER SERIES

CS & Pepper Anti-riot gun / Gas Launcher



40 mm Gas Launcher (6 shots)

Model	PALB-40T-6
Type	6 Shots
Butt Stock	Telescopic Stock
Application	Riot and crowd control
Body Materials	Main body Aluminum and Polymer
Length	Butt Extended 805 mm & Butt Extract 745 mm
Barrel Length	255 mm
Weight	4.20 kg
Caliber	40 mm Smooth bore / 40 mm Rifle Barreled
Picatinny Rail	4 Picatinny Rails on each side of the barrel (Optional)
Compatible Ammunition	40 mm and 37/38 mm Ammo
Color	Black
Safety	Trigger Lock and Hammer Lock
Magazine Capacity	6 Shells
Firing Mode	Pump Action
HS code	9304.00.9000



Arms Matrix
15661 Cumberland ST,
Riverview, MI 48193, USA

Email: info@armsmatrix.com
Website: www.armsmatrix.com
Phone: +1 734 5562 447